

Security Advisory

CVE-2025-0360 - 04.03.2025 (v1.0)



Affected products, solutions, and services

- AXIS OS 11.11 – AXIS OS 12.1

Summary

During an annual penetration test conducted on behalf of Axis Communication, [Truesec](#) discovered a flaw in the *VAPIX Device Configuration framework* that could lead to an incorrect user privilege level in the VAPIX service account D-Bus API.

To Axis' knowledge, no known exploits exist publicly as of today and Axis is not aware that this has been exploited. Axis will not provide more detailed information about the vulnerability. We appreciate the efforts of security researchers and ethical hackers on improving security in Axis products, solutions, and services.

The vulnerability has been assigned a [7.8 \(High\)](#) severity by using the CVSSv3.1 scoring system. [CWE-863: Incorrect Authorization](#) has been assigned by using the CWE mapping. Learn more about the Common Vulnerability Scoring System and the Common Weakness Enumeration mapping [here](#) and [here](#).

Solution & Mitigation

Axis has released a patch for this flaw with the following versions:

- Active Track 12.2.41
- LTS 2024 11.11.135

The release notes will state the following:

Addressed CVE-2025-0360. For more information, please visit the [Axis vulnerability management portal](#).

Axis devices not included in these tracks and still under support will receive a patch according to their planned maintenance and release schedule.

It is recommended to update the Axis device software. The latest Axis device software can be found [here](#). For further assistance and questions, please contact [Axis Technical Support](#).