

## **AXIS Camera Station S1296 Rack Recording Server**

Flexible and scalable recording server

Featuring powerful components, this secure, scalable recording server offers high performance and support for powerful applications and features. It includes AXIS Camera Station licenses and multiple RAID configurations for flexible storage and multiple redundancy configuration. And, a Trusted Platform Module (FIPS 140-2 level 2 certified) ensures secure storage of all cryptographic keys and certificates. Available in two variants with a choice of storage, it comes preloaded with preconfigured software. Plus, all supported products are available in one price list for a one-stop-shop experience. Furthermore, it offers services such as Keep Your Hard Drive, Next Business Day Onsite Support, and a 5-year warranty.

- > Scalable and powerful solution
- > Flexible storage options including RAID
- > Available in 2 variants: 96 TB and 192 TB
- > 96 AXIS Camera Station licenses included
- > Extensive support and 5-year warranty



www.cxis.com T10180501/EN/M9.2/2502

	AXIS Camera Station S12	96 Rack F	Recording Server
Variants	S1296 Rack 96 TB S1296 Rack 192 TB	Safety	IEC/EN/UL 60950-1, IEC/EN/UL 62368-1, EN 62311, NOM-019-SCFI-1998, IS 13252
Licenses	96 AXIS Camera Station core licenses included and tied to	Cybersecurity	FIPS 140
	the hardware. Can be upgraded with additional licenses (sold	Cybersecurity	
System scalability	separately).  Qualified for 192 doors and a recording bitrate up to 1.5 Gbit/s, 150 video channels at 4 MP, 30 fps in a retail scenario. Check AXIS Site Designer for storage estimates.  Tested with:  20 live view clients 4 clients performing heavy playback or scrubbing operations	Documentation	AXIS Camera Station Hardening Guide Axis Vulnerability Management Policy Axis Security Development Model To download documents, go to axis.com/support/cybersecurity/resources To read more about Axis cybersecurity support, go to axis.com/cybersecurity
Hardware		General	
Processor	Intel® Xeon® Silver	Operating system	n Microsoft® Windows® 10 IoT Enterprise LTSC 2021
Memory	2x 16 GB		Built-in operating system recovery: yes Operating system drive: 480 GB SSD <sup>a</sup>
Storage	S1296 Rack 96 TB Hot swappable Enterprise Class HDD Total HDD slot: 12 Free HDD slot: 0 Out-of-the-box storage: 80 TB after RAID 6 Out-of-the-box capacity without RAID: 96 TB (12x8 TB) S1296 Rack 192 TB Hot swappable Enterprise Class HDD Total HDD slot: 12	Remote server management	iDRAC 9 express license
		Security	Support for encrypted operating system drive and recording drive FIPS 140-2 level 2 certified Trusted Platform Module (TPM 2.0) Secure Component Verification (SCV) <sup>b</sup>
		Operating conditions	10 °C to 35 °C (50 °F to 95 °F) Humidity 20–80% RH (non-condensing)
	Free HDD slot: 0 Out-of-the-box storage: 160 TB after RAID 6 Out-of-the-box capacity without RAID: 192 TB (12x16 TB)	Storage conditions	-40 °C to 65 °C (-40 °F to 149 °F)
RAID	Factory RAID level: 6 Supported RAID levels: 0, 1, 5, 6, 10	Dimensions 721.62 x 482 x 87 mm (28.42 x 19 x 3.43 in), 2U chassis Rail sizing: Type: sliding	
Power	2 x 800 W hot-plug redundant power supplies (included) (100–240 V AC, 12–6.3 A, 50/60 Hz)		Minimum rail mounting depth: 719 mm (28.31 in) Square-hole rack adjustment range: 631–868 mm (24.85–34.18 in) For more information, see the Dell EMC Enterprise Systems Rail Sizing and Rack Compatibility Matrix
Connectors	Front side: 1x USB 2.0 1x VGA		
	1x iDRAC direct port Rear side:	Weight	S1296 Rack 96 TB 26.1kg (57.54 lb) <sup>c</sup> S1296 Rack 192 TB 26.3 kg (57.98 lb) <sup>d</sup>
	1x USB 2.0 1x USB 3.0 1x VGA	Included accessories	Dell Ready Rails 2U Sliding Rails, 2x C13 to C14 power cords for rack PDU (Wall plug power cords are not included)
	1x iDRAC dedicated Ethernet port	Optional accessories	Axis workstations For more accessories, see axis.com
	2x RJ45 1 Gbps (Do not use) 2x RJ45 10 Gbps	Services	Next Business Day Onsite Support
Video		Services	Keep Your Hard Drive
Video streaming	Not intended for local viewing of video. Recommended to use Axis workstations.	Warranty	5-year warranty, see axis.com/warranty
Approvals		a. Units produced prior to September 1, 2024: 240 GB SSD b. Only valid for units produced from September 1, 2024 c. Units produced prior to September 1, 2024: 26. 1kg (57.54 lb) d. Units produced prior to September 1, 2024: 25.6 kg (56.44 lb)	
Supply chain	TAA compliant		
EMC	EN 55032 Class A, EN 55024, EN 55035, EN 61000-3-2, EN 61000-3-3, FCC Part 2 and 15 Class A, ISED ICES-003 Class A, RCM AS/NZS CISPR 32 Class A, KS C 9832 Class A, KS C 9835, VCCI 32-1 Class A, BSMI		

## **AXIS Camera Station**

For details about AXIS Camera Station features and functions, see the AXIS Camera Station datasheet on axis.com

